

# Grow your Farm Future

with a passionate farm leader.



### PREET 7049

MAIZE SPECIAL SELF PROPELLED COMBINE HARVESTER With AC CABIN

## New Design, Fully Loaded Combine Harvester

Preet Combines are india's most popular and ideal combine harvester now with new feature and colour. This is a multicrop self propelled combine harvester and ideal for harvesting of crop like Wheat, Paddy, Soyabean, Sunflower and Mustrad etc. We offer combine harvester with wide feature. Some of the features are stated as under:



Best paint quality




Hydraulically operated discharge tube Comfortable cushioned driver seat for quick engage disengagement with adjustable height without any extra labour.





Slant ladder for comfortable & safely climbing.



Large grain tank capacity enables long working hours with minimum interruption.



Ladder cover with sheet for safety purpose.



Oil-immersed brake system.



Engine cooling by clean air through rotating sieve equipped with additional fan.



Bigger shields covering rotated parts with extra safety.



Heavy duty gearbox with five speeds collar shift gears




Large gathering chains and scoops Spacious cabin for operator comfort. that allows for large crop volumes to be conveyed to the auger.





Auger drive with slip clutch for safety purpose.



Long length Straw Walker for complete exit of straw.



Heavy duty, long durable and robust Very effective ac cooling system. structure makes our machine to withstand against any impact





Hydraulic power steering easy to move with less force



Well designed crop feeding mechanism



Small turning radius



Large sieve area for optimum grain cleaning



Easy to open elevators for maintance and service



Easily approachable levers for operating the machine.



Stainless steel sheet used for long life of parts which are subjected to more wearing like elevators Used UCF bearing is widely appreciated for durability and long serviceability



Easy to turn in small area due to individual braking system



Broad cutter bar covering more cutting area.hardened & sharp edge cutting blade used.cutting blade drive thru, gear mechanism

A.	ENGINE	PREET					
	Power	101 HP @ 22	101 HP @ 2200 RPM				
	No. of Cylinder	Six					
	Air Cleaner		of Dry & Wet T	уре			
	Cooling System	Water Cooled					
В.	CLUTCH						
	Type of Clutch	Single, Heavy	Single, Heavy Duty Dry Clutch 330				
	Dia (mm)	330					
C.	TRAMSMISSION						
	No. of Gears	4 Forward, 1	4 Forward, 1 Reverse				
	Gear Speed (km/hr) @ 1800 RPM						
	Forward	L		Н			
	1st Gear	1.8	1	2.9 6.4 11.6 25.5			
	2nd Gear	4	(				
	3rd Gear	7.25	1				
	4th Gear	15.9	2				
	Reverse	5.3	}	8.4			
D.	CUTTER BAR Maize						
	Width	3.4m (11.25	Feet) 3.12m	3.12m (10.25 Feet)			
	No. of Rows	6	7				
	Spacing of Rows (mm)	610	457				
E.		For Wheat, Paddy & Others					
	Width	4.3m (14 Fee	4.3m (14 Feet)				
	Cutting Height (mm)	65-1275	65-1275				
	No. of Blades	58	58 29 85				
	No. of Guards	29					
	Stroke (mm)	85					
	Reel Speed	20-55	20-55				
	Dia (mm)	915	915 Chain Type Feed Rack				
	Feeder Housing	Chain Type F					
E1.	THRESHING MECHANISM						
	THRESHER DRUM	Maize (Rasp Bar)	Wheat (Rasp Bar)	Paddy (Peg Tooth)			
	Width (mm)	1250	1250	1250			
	Width (mm) Diameter of Thresher Drum (mm)	1250 605	1250 605	1250 605			
	- CAS MARKAN MARKAN IN MAR						

HIVE	OTEN WITH AU OADIN	LOTT	O' IL O' L	JII 107 1	
E2.	CONCAVE				
	Clearance	Maize	Wheat	Padd	
	Front (mm)	19	17	17	
	Rear (mm)	19	6-10	17	
	Adjustment	Mechanical			
E3.	CLEANING SIEVES				
	Upper Sieve Area (m²)	2.42	2.42		
	Lower Sieve Area (m²)	1.77			
E4.	STRAW WALKER				
	No. of Straw Walker	5			
	No. of Steps	5			
	Length (mm)	3770			
	Width (mm)	235			
F.	CAPACITY				
	Grain Tank (m³)	2.5			
	Fuel Tank (ltr.)	365			
G.	ELECTRICAL SYSTEM				
	No. of Batteries	2			
	Capacity & rating of each	12V, 100ah			
Н.	TYRE	SIZE	Ply	Rating	
	Front	18.4 - 30	4 - 30 14 pr		
	Rear	9.00 - 16		16 pr	
	MAIN DIMENSIONS	Wheat Cutt	er Bar		
		In Working	In T	In Transport	
	Length (mm)	8370		12450	
	Width (mm)	4665		3035	
	Height (mm)	3850		3850	
	Ground Clearance (mm)	370			
	Total Wight (Kg.)	10500			
		Maize Cutter Bar			
		In Working	In T	ransport	
	Length (mm)	9175	1	1550	
	Width (mm)	3850		3035	
	Height (mm)	4040		4040	
	Ground Clearance (mm)	370			



# When machines take over the farming, they are going to need a leader.



#### PREET AGRO INDUSTRIES PVT. LTD.

Patiala Road, NABHA-147 201 (Pb.) INDIA. Tel.: 01765-220400, 222609, Fax: 01765-221619

Toll Free: 1800-4190349

Email: sales@preetagro.com, info@preet.co

Authorised Dealer:	